

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1082	Île Parisienne	On SW. extremity of island. 46 38 42.9 84 43 26.5	FI W	10s	16.1	..... White hexagonal tower, red upper portion. 16.6	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:14884(U.S.)</b>
1083	Goulais Bay	On point. 46 41 46.3 84 31 22.9	FI W	4s	11.7	..... Cylindrical mast, red and white rectangular daymark, red triangle in centre. 5.8	Seasonal.  <b>Chart:2315</b>
1084	Maple Island	On W. side of island. 46 46 07.7 84 34 51.9	FI W	4s	9.5	..... Square tower, red and white rectangular daymark, red triangle in centre. 9.7	Seasonal.  <b>Chart:14962(U.S.)</b>
1087	Coppermine Point	On extremity of point. 46 59 02.8 84 47 14.7	FI W	4s	14.4	..... Cylindrical mast, red and white rectangular daymark. 5.5	Seasonal.  <b>Chart:2307</b>
1088	Mamainse Harbour <b>Racon - - (M) X &amp; S Bands</b>	On N. point of largest island off Mamainse Point. 47 02 15.1 84 47 11.5	F R	.....	11.3	..... Red and white cylindrical tower, red and white triangular daymark. 9.1	Seasonal.  <b>Chart:2315</b>
1089	Montréal Point	On high bluff on point at Montréal River entrance. 47 14 27.4 84 39 02.4	FI W	10s	39.3	..... Cylindrical mast, red and white rectangular daymark. 8.1	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2307</b>
1089.5	Sinclair Island	SW. side of island. 47 22 29.6 84 42 33.2	FI W	4s	16.2	..... Cylindrical mast, red and white rectangular daymark. 5.5	Seasonal.  <b>Chart:2315</b>
1090	Rowe Island	At NE. tip of island. 47 26 25 84 47 36	FI W	4s	8.5	..... Cylindrical mast, red and white rectangular daymark. 6.5	Seasonal.  <b>Chart:2307</b>
1091	Gargantua	On summit of Gargantua Island. 47 33 29.6 84 57 48.9	FI W	4s	24.0	..... Cylindrical mast, red and white rectangular daymark. 5.3	Seasonal.  <b>Chart:2315</b>
1092	Hursley Island	47 35 46 85 02 33	FI W	4s	13.6	..... Cylindrical mast, red and white rectangular daymark. 5.5	Seasonal.  <b>Chart:2307</b>
1092.5	Michipicoten River Entrance	47 55 59.6 84 51 06.8	Iso W	4s	5.7	..... Cylindrical mast.	Seasonal.  <b>Chart:2315</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

**LAKE SUPERIOR**

1093	Michipicoten Harbour	On SE. extremity of Perkwakwia Point. 47 56 32.9 84 54 26.7	FI W	10s	26.8	.....	Square tower. 12.7	Flash 1 s; eclipse 9 s. Seasonal.  <b>Horn</b> - Blast 3 s; sil; 3 s; blast 3 s; sil. 51 s. Horn points 210°.  Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.  <b>Chart:2315</b>
1094	Michipicoten Harbour range	On shore, N. of inner end of wharf. 47 57 41.9 84 54 04.3	F R	.....	12.6	.....	Mast.	Lights in line lead to Commercial pier. Maintained by Algoma Central Railway. Seasonal.
1095		355°30' 86.5m from front.	F R	.....	27.1	.....	Mast.	Lights in line lead to Commercial pier. Maintained by Algoma Central Railway. Seasonal.  <b>Chart:2315</b>
1096	Caribou Island	On small island SW. of Caribou Island. 47 20 23 85 49 32	FI W	10s	36.9	9	White hexagonal tower. 35.1	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2310</b> <b>Edn 09/14 (D14-010)</b>
<b>Michipicoten Island</b>								
1097	Michipicoten Island	On NE. extremity of island. 47 45 13.6 85 35 48.6	FI W	10s	25.6	.....	White hexagonal tower. 24.3	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2309</b>
1098	Davieaux Island	On summit of island, S. of Québec Harbour, Michipicoten. 47 41 40.9 85 48 40.6	FI W	20s	39.3	.....	White hexagonal tower.	Flash 0.5 s; eclipse 19.5 s. Seasonal.  <b>Horn</b> - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s.  Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.  <b>Chart:2315</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>									
1099	Québec Harbour range	On N. shore of harbour. 47 43 00.5 85 47 54.3	F	R	.....	6.4	.....	Skeleton tower, white daymark, orange vertical stripe.	Visible in line of range. Seasonal.
1100		000°51' 214m from front.	F	R	.....	20.1	.....	Square skeleton tower, white daymark, orange vertical stripe.	Visible in line of range. Seasonal.
									<b>Chart:2315</b>
1101	Michipicoten Island, West End	On small island, SW. of Cotton Cove. 47 43 07.1 85 57 21.7	Fl	W	4s	9.1	.....	Cylindrical mast, red and white rectangular daymark. 5.9	Seasonal.
									<b>Chart:2308</b>
1102	Otter Island	On NW. extremity of island. 48 06 42.2 86 04 00.1	Fl	W	10s	29.6	.....	White hexagonal tower. 6.3	Flash 1 s; eclipse 9 s. Seasonal.
									<b>Chart:2308</b>
1106	Hawkins Island	SW. of island. 48 43 10 86 25 54	Fl	W	4s	27.1	.....	Skeleton tower, white slatwork daymark. 12.8	Seasonal.
									<b>Chart:2306</b>
1107	Skin Island	On SW. corner of island. 48 43 41.8 86 23 40.8	Fl	W	4s	13.4	.....	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.
									<b>Chart:2306</b>
1108	<i>Slate Island ODAS light buoy 45136</i>	48 32 06 86 57 12	<i>Fl(5)</i>	<i>Y</i>	<i>20s</i>	.....	.....	<i>Yellow, marked "45136".</i>	<i>Maintained by Environment Canada. Winter spar. Seasonal.</i>
									<b>Chart:2303</b>
1110	Jackfish Bay	On SW. extremity of St. Patrick Island. 48 47 18.4 86 58 55	Fl	W	4s	12.5	.....	Cylindrical mast, red and white rectangular daymark. 5.3	Seasonal.
									<b>Chart:2305</b>
1111	Slate Islands	On S. extremity of Patterson Island. 48 37 16 86 59 45	Fl(2)	W	15s	68.3	.....	White octagonal tower. 10.5	Flash 0.5s; eclipse 4.5 s; flash 0.5.; eclipse 9.5 s. Seasonal.
									<b>Chart:2303</b>
1111.1	Terrace Bay	48 46 08 87 07 14	Fl	W	4s	4.9	.....	White cylindrical mast. 4.8	Privately maintained by the Township of Terrace Bay. Seasonal.
									<b>Chart:2303</b>
1112	Rosspoint	On wharf. 48 50 00.9 87 31 11	F	R	.....	4.9	.....	Cylindrical mast. 3.7	Seasonal.
									<b>Chart:2312</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1113	Rosspoint Harbour Entrance	On small island at entrance to harbour. 48 49 30.2 87 31 23.7	FI W	4s	11.3	..... Cylindrical mast, red and white rectangular daymark. 5.6	Seasonal.  <b>Chart:2312</b>
1114	Rosspoint Point	On point. 48 49 29.9 87 32 51.9	FI W	4s	8.6	5 Cylindrical mast, red and white rectangular daymark. 6.5	Seasonal.  <b>Chart:2312 Edn 01/10(D09-050)</b>
<b>Nipigon Bay</b>							
1117	Battle Island	On W. end of island. 48 45 06.4 87 33 26	FI(3) W	24s	36.0	..... White octagonal tower. 13.1	Flash; eclipse 4 s; flash; eclipse 4 s; flash; eclipse 16 s. Seasonal.  <b>Chart:2312</b>
1120	Crichton Island	At SE. end of island. 48 57 07.5 88 06 16.4	FI W	4s	8.1	5 Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:2312 Edn 01/10(D09-049)</b>
1121	Burnt Island	48 54 57.5 88 11 46.2	FI W	4s	19.0	..... Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2312</b>
1124	Nipigon Strait range	48 41 56.4 88 06 03.5	F R	.....	8.3	..... Cylindrical mast, white daymark, orange vertical stripe. 6.3	Seasonal.
1125		013°11' 83.2m from front.	F R	.....	10.4	..... Cylindrical mast, white daymark, orange vertical stripe. 6.3	Seasonal.  <b>Chart:2312</b>
1126	Lamb Island	Centre of island. 48 36 12.4 88 08 34.5	FI W	5s	30.2	..... Tower. 13.6	Flash every 5 s. Seasonal.  <b>Chart:2312</b>
1127	Shaganash	On W. end of island No. 10, W. of Shaganash Island. 48 26 10 88 28 50	FI W	4s	11.0	..... White tower.	Seasonal.  <b>Chart:2302</b>
1128	Point Porphyry	On SW. extremity of island, entrance to Black Bay. 48 20 24 88 38 54	FI W	10s	25.0	..... White skeleton tower. 18.3	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2301</b>
1129	Trowbridge Island	On summit of island. 48 17 34 88 52 22	FI W	5s	34.7	..... White octagonal tower. 11.5	Flash every 5 s. Seasonal.  <b>Chart:2311</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1130	Angus Island	Near N. end of island. 48 14 09.5 89 00 23.5	Fl W	10s	24.7	..... Skeleton tower. 15.9	Flash 1 s; eclipse 9 s. Seasonal.
							<b>Chart:2311</b>
1131	Thunder Cape	W. side of cape. 48 18 07 88 56 19	Fl W	4s	10.7	..... Cylindrical mast, red and white rectangular daymark. 6.5	Seasonal.
							<b>Chart:2311</b>
1132	Hare Island light buoy A2	W. of Thunder Cape. 48 17 54 88 59 12	Fl R	4s	.....	..... Red spar, marked "A2".	Seasonal. (In place Year round.)
							<b>Chart:2311</b>
1133	Welcome Island	On NE. extremity of the eastern island. 48 22 10 89 07 14	Fl W	10s	.....	..... Skeleton tower.	Flash 1 s; eclipse 9 s. Seasonal.
							<b>Chart:2314</b>
<b>Thunder Bay</b>							
1135	Mission Channel Approach light buoy AA4	48 21 14.5 89 10 33.9	Fl R	4s	.....	..... Red spar, marked "AA4".	Seasonal. (In place Year round.)
							<b>Chart:2314</b>
1136	Mission Channel Entrance	At outer corner of breakwater. 48 21 00.5 89 12 04	Fl G	4s	13.4	..... White square tower, red upper portion. 7.6.	Flash 0.5 s; eclipse 3.5 s. Seasonal.
							<b>Chart:2314</b>
1137	Mission Channel light buoy A8	On N. side of channel at entrance. 48 21 05.2 89 12 01.2	Fl R	4s	.....	..... Red spar, marked "A8".	Seasonal. (In place Year round.)
							<b>Chart:2314</b>
1138	Mission River Entrance Breakwater	On inner end of breakwater. 48 21 14 89 13 01	Fl G	4s	6.4	..... Cylindrical mast, red and white rectangular daymark, green square in centre. 4.9	Flash 0.5 s; eclipse 3.5 s. Seasonal.
							<b>Chart:2314</b>
1139	Mission Channel range	At mouth of Mission River. 48 21 25 89 13 33	F R	.....	11.3	..... Cylindrical mast, white daymark, red vertical stripe. 9.1	Visible in line of range. Seasonal.
1140		289°05' 259.1m from front.	F R	.....	17.1	..... Square skeleton tower, white daymark, red vertical stripe. 13.7	Seasonal.
							<b>Chart:2314</b>
1141	Old Dumping Ground Shoal light buoy P2	NE. of McKellar Island. 48 23 08.5 89 10 41.7	Fl R	4s	.....	..... Red spar, marked "P2".	Seasonal. (In place Year round.)
							<b>Chart:2314</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>								
1143.3	Kaministiquia River Entrance light buoy D1	E. side of river entrance. 48 23 45.5 89 11 57.2	Fl	G	4s	.....	Green spar, marked "D1".	Seasonal. (In place Year round.)
								<b>Chart:2314</b>
1144	Kaministiquia River Entrance	On breakwater at N. side of river entrance. 48 23 53 89 12 00	Fl	R	10s	6.7	Mast on a building.	Flash 4 s; eclipse 6 s. Emergency light. Floodlit. Seasonal.
								<b>Chart:2314</b>
1144.1	Kaministiquia River Terminal Entrance light buoy D7	48 23 35.5 89 12 39.2	Q	G	1s	.....	Green spar, marked "D7".	Seasonal. (In place Year round.)
								<b>Chart:2314</b>
1144.3	Kaministiquia River Entrance Inner	N. side of Old Elevator wharf. 48 23 37.5 89 12 54.5	Fl	R	5s	7.7	Cylindrical mast, red and white rectangular daymark. 6.1	Flash 1 s; eclipse 4 s. Seasonal.
								<b>Chart:2314</b>
1144.4	Kaministiquia River Entrance South	48 23 32 89 12 50	F	G	.....	4.5	Mast.	Privately maintained. Year round.
								<b>Chart:2314</b>
1145	Kaministiquia River	On S. bank of river. 48 21 43 89 15 22.4	Iso	G	8s	12.9	Cylindrical mast, red and white rectangular daymark. 6.2	Seasonal.
								<b>Chart:2314</b>
1146	Kaministiquia River Water Mains Crossing North	On N. side of river. 48 21 47.9 89 15 31.7	Iso	R	8s	10.1	Cylindrical mast. 6.3	Visible from 285° through N. and E. to 105°. Seasonal.
								<b>Chart:2314</b>
1147	Kaministiquia River Water Mains Crossing South	On S. side of river. 48 21 43.3 89 15 35.4	Iso	G	8s	7.9	Cylindrical mast, red and white rectangular daymark. 6.2	Seasonal.
								<b>Chart:2314</b>
1150	Thunder Bay South Entrance, North	On N. side of S. entrance to harbour. 48 24 43.5 89 12 21	Fl	R	4s	9.4	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.1	Seasonal.
								<b>Chart:2314</b>
1150.3	Thunder Bay South Entrance, South	On breakwater, S. side of S. entrance. 48 24 38 89 12 18	Fl	G	5s	8.2	Mast on building.	Flash 1 s; eclipse 4 s. Floodlit. Seasonal.
								<b>Chart:2314</b>
1151	Thunder Bay Central Entrance, South	On breakwater, S. side of main entrance. 48 25 54 89 11 52	Fl	G	4s	7.0	Cylindrical mast, red and white rectangular daymark, green square in centre. 5.1	Floodlit. Seasonal.
								<b>Chart:2314</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1152	<b>Thunder Bay Main</b>	On end of breakwater, N. side of Central entrance. 48 25 58 89 11 45	Fl R 5s	14.9	16	White square tower. 9.4	Flash every 5 s. Floodlit. Seasonal.  <b>Horn</b> - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s.  Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.  <b>Chart:2314</b>
1153	<i>Thunder Bay light buoy E3</i>	<i>W. of main entrance. 48 25 56 89 12 14.3</i>	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "E3".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2314</b>
1156	Thunder Bay North Entrance South	Near N. end of S. breakwater. 48 26 38 89 10 38	Fl G 4s	9.4	.....	Mast on a building.	Floodlit. Seasonal.  <b>Chart:2314</b>
1157	Thunder Bay North Entrance North	Near SW. end of N. breakwater. 48 26 42 89 10 32	Fl R 4s	8.5	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre.	Floodlit. Seasonal.  <b>Chart:2314</b>
1158	Pie Island	On point of island. 48 13 46 89 10 26	Fl W 4s	8.3	.....	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2311</b>
1159	Mink Point	On point. 48 08 22 89 18 10	Fl W 4s	9.1	.....	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2311</b>
1160	Jarvis Rock	W. side of Spar Channel. 48 06 10 89 17 35	Fl W 4s	12.2	.....	Cylindrical mast, red and white rectangular daymark.	Seasonal.  <b>Chart:2311</b>
1161	Victoria Island	Extremity of point at NW. end of island. 48 04 53 89 21 37	Fl W 4s	18.0	.....	Square tower, two red and white rectangular daymarks.	Visible from 022° through E. and S. to 241°. Seasonal.  <b>Chart:2311</b>